

QUICK SELECTION CHART

Smart Solutions for every flow...



T4 PUMPS

Land • Nature • Resource •

T4 Pumps (Pty) Ltd
66A, 917 Morkels Close, Allandale Exchange
Inospace, Halfway House, Midrand, South Africa



+27 79 367 0522



sales@t4pumps.co.za



www.t4pumps.co.za

T-Four Investments Limited
Plot No 43, Katima Mulilo Road Olympia,
Lusaka, Zambia



+260 97 492 4559



sales@t4pumps.com



www.t4pumps.com

4" Silver Line Series



Pump Model	Motor kW		lps	0	0.05	0.17	0.33	0.37	0.42
	kW	HP	m³/h	0	0.3	0.6	1	1.3	1.5
S4P-1/13G	0.37	0.5	Head in metres	86	81	74	63	40	26
S4P-1/19G	0.55	0.75		120	112	100	80	50	32
S4P-1/26G	0.75	1		164	152	138	118	83	52
S4P-1/38G	1.1	1.5		250	232	212	186	132	90
Pump Model	Motor kW		lps	0	0.2	0.34	0.41	0.48	0.55
	kW	HP	m³/h	0	0.75	1.25	1.5	1.75	2
S4P-1E/08	0.37	0.5	Head in metres	54	46	38	32	24	15
S4P-1E/13	0.55	0.75		89	78	70	61	50	38
S4P-1E/18	0.75	1		122	111	93	81	67	49
S4P-1E/26	1.1	1.5		177	156	127	109	89	68
S4P-1E/34	1.5	2		226	202	172	149	124	98
Pump Model	Motor kW		lps	0	0.28	0.48	0.55	0.69	0.83
	kW	HP	m³/h	0	1	1.75	2	2.5	3
S4P-2/07N	0.55	0.75	Head in metres	62	59	49	45	34	22
S4P-2/11N	0.75	1		98	90	77	70	53	35
S4P-2/16N	1.1	1.5		143	131	112	100	78	48
S4P-2/22N	1.5	2		194	172	142	129	100	65
S4P-2/30N	2.2	3		260	232	192	172	135	92
Pump Model	Motor kW		lps	0	0.55	0.69	0.83	1.1	1.25
	kW	HP	m³/h	0	2	2.5	3	4	5
S4P-3/08N	0.55	0.75	Head in metres	59	52	45	39	22	4
S4P-3/11N	0.75	1		80	70	62	54	34	8
S4P-3/15N	1.1	1.5		111	98	88	77	48	12
S4P-3/21N	1.5	2		157	133	121	107	63	15
S4P-3/30N	2.2	3		221	190	172	151	96	26
Pump Model	Motor kW		lps	0	0.55	0.97	1.1	1.25	1.66
	kW	HP	m³/h	0	2	3.5	4	5	6
S4P-4/07N	0.75	1	Head in metres	54	49	41	37	25	14
S4P-4/11N	1.1	1.5		86	77	67	61	47	29
S4P-4/15N	1.5	2		118	108	88	79	60	38
S4P-4/22N	2.2	3		185	165	138	128	98	58
S4P-4/27N	3	4		210	198	172	159	120	71
S4P-4/35N	3.7	5		270	248	210	192	140	81

Pump Model	Motor kW		lps	0	0.83	1.1	1.25	1.94	2.22
	kW	HP	m³/h	0	3	4	5	7	8
S4P-5/09N	1.1	1.5	Head in metres	65	59	55	50	31	17
S4P-5/12N	1.5	2		86	78	73	65	42	25
S4P-5/17N	2.2	3		123	115	105	91	57	31
S4P-5/21N	3	4		145	135	126	111	70	39
S4P-5/27N	3.7	5		184	163	158	138	80	42
Pump Model	Motor kW		lps	0	1.1	1.94	2.22	2.78	3.33
	kW	HP	m³/h	0	4	7	8	10	12
S4P-8/08	1.5	2	Head in metres	51	48	43	40	31	20
S4P-8/13	2.2	3		82	72	65	61	48	29
S4P-8/17	3	4		108	101	91	85	69	43
S4P-8/23	4	5.5		143	132	116	109	88	52
S4P-8/32	5.5	7.5		200	182	159	148	116	68
S4P-8/43	7.5	10		270	242	210	193	149	88
Pump Model	Motor kW		lps	0	1.1	2.22	2.78	3.33	3.89
	kW	HP	m³/h	0	4	8	10	12	14
S4P-10/08	1.5	2	Head in metres	46	43	38	33	27	12
S4P-10/12	2.2	3		66	64	57	50	39	25
S4P-10/17	3	4		94	88	78	69	55	39
S4P-10/22	4	5.5		122	116	102.5	90	72	50
S4P-10/28	5.5	7.5		153	144	127	112	91	65
Pump Model	Motor kW		lps	0	2.22	3.33	3.89	5	5.56
	kW	HP	m³/h	0	8	12	14	18	20
S4P-14/11	2.2	3	Head in metres	64	59	45	39	25	17
S4P-14/13	3	4		74	65	52	44	29	20
S4P-14/17	3.7	5		98	85	68	59	38	27
S4P-14/24	5.5	7.5		134	114	92	78	49	33
Pump Model	Motor kW		lps	0	2.78	4.44	5	5.56	6.11
	kW	HP	m³/h	0	10	16	18	20	22
S4P-18/09	2.2	3	Head in metres	38	31	24	21	17	14
S4P-18/14	4	5.5		58	48	37	33	27	23
S4P-18/22	5.5	7.5		89	74	55	48	41	32
S4P-18/28	7.5	10		116	97	73	64	54	43

Peripheral Pumps



Pump Model	Motor kW		lpm	0	5	10	15	18.3	25	30	40
	kW	HP	m³/h	0	0.3	0.6	0.9	1.1	1.5	1.8	2.8
PEM - 3NE /PEM-3N-QF	0.37	0.5	Head in Metres	34.5	28	22.5	17	14	7	3	-
PEM - 7N /PEM-7N-QF	0.75	1		53	46	40	35	30	24	20	3

For any enquiry please contact sales@t4pumps.com / sales@t4pumps.co.za

4" Oil filled motor

Motor model	Motor kW		Full Load Current	Capacitor	Available ranges in control panels			
	kW	HP			Basic Model	ELCON PLUS ECONOMY MODEL	ELCON PLUS STANDARD 1 Phase	ELCON PLUS PREMIUM 3 phase
L4A-03N	0.37	0.5	3.6	15	CP-5LE-03M	EPP-5LD-03NE - 0.37kW	EPP-5LD-0.75 kW	EPP-5WI-07-40-T-0.75 to 4kW
L4A-05N	0.55	0.75	4.8	20	CP-5LE-05M	EPP-5LD-05NE-0.55kW	EPP-5LD-1.10 kW	EPP-5WI-55-110-T-5.5 to 11kW
L4A-07N	0.75	1	6.3	30	CP-5LE-07M	EPP-5LD-07NE-0.75kW	EPP-5LD-1.50 kW	EPP-5WI-130-150-T-13 to 15kW
L4A-11N	1.1	1.5	8.6	40	CP-5LE-11M	EPP-5LD-11NE-1.1kW	EPP-5LD-2.20 kW	
L4A-15N	1.5	2	11.5	50	CP-5LE-15M		ELCON PLUS 3 PHASE	
L4A-22N	2.2	3	15	60	CP-5LE-22M		EPP-5LD 07-40-T-0.75 to 4kW	
L4A-03T	0.37	0.5	1.1	 BASIC MODEL ELCON PLUS ECONOMY ELCON PLUS STANDARD ELCON PLUS PREMIUM				
L4A-05T	0.5	0.75	1.9					
L4A-07T	0.75	1	2.4					
L4A-11T	1.1	1.5	3.15					
L4A-15T	1.5	2	4.2					
L4A-22T	2.5	3	6					



BASIC MODEL



ELCON PLUS ECONOMY



ELCON PLUS STANDARD



ELCON PLUS PREMIUM

4" Maxi Kit

Pump Model	Motor kW		lps	0	0.28	0.55	0.69	0.83	0.97	1.1
	kW	HP	m³/h	0	1	2	2.5	3	3.5	4
MK - 1	0.37	0.5	Head in metres	54	42	15	-	-	-	-
MK - 2	0.37	0.5		44	41	33	25	13	-	-
MK - 3	0.55	0.75		59	56.8	52	47.5	41	32	22
MK - 4	0.75	1		80	77.5	69	62.2	54	44	34
Pump Model	Motor kW		lps	0.34	0.48	1.1	1.39	1.66	1.8	-
	kW	HP	m³/h	1.25	1.75	4	5	6	6.5	-
MK-5	1.1	1.5		77.8	77.8	62.5	47	29	20	-

i Prez Series

Model Name	Motor kW		lpm	0	16.7	33.4	50	66.7	83.4	100	116.7	133.4	166.7
	kW	HP	m³/h	0	1	2	3	4	5	6	7	8	10
I - Prez -07 N	0.75	1	Head in metres	56	50	43	36	25	-	-	-	-	-
I - Prez -11 N	1.1	1.5		55	52	47	44	40	35	28	18	-	-
I - Prez -15 N	1.5	2		53	50	48	45	42	36	29	18	-	-
I - Prez -22 N	2.2	3		67	64	61	58	55	52	48	44	40	30

CT Series



Single impeller



Twin impeller

Pump Model	Motor kW		lps	0	0.2	0.3	0.5	0.7	1	1.2	1.3	1.6	1.8
	kW	HP	m³/h	0	0.75	1	1.8	2.5	3.6	4.3	4.7	5.4	5.8
CTS-6/07M / CTS-6/07-QF	0.75	1	Head in metres	33	32	31	28	27.3	26.7	25.5	25	22	17.5
CTB-6/11M , CTB-6/11M-QF	1.1	1.5		38.5	37.5	36.5	34.5	32.5	30	29	27.8	25	22
CTB-8/15M , CTB-8/15QF	1.5	2		43.5	42.5	41	38	36.5	34	33	32	28	25
Pump Model	Motor kW		lps	0	0.3	0.6	1	1.3	1.6	2	2.3	2.6	3
	kW	HP	m³/h	0	1	2.1	3.6	4.7	5.8	0.2	8.2	9.3	10.8
CTB2-05/11M / CTB2-05/11M - QF	1.1	1.5	Head in metres	50	47	46	43	39.5	35	28	22	16	-
CTB2-06/15M / CTB2-06/15M - QF	1.5	2		56	54.5	52	50	46	40	33	26	21	-
CTB2-07/22M / CTB2-07/22M - QF	2.2	3		54	52.5	51.5	47.5	43	37	27.5	18.5	10	2.5
CTB2-07/22T (3Phase)	2.2	3		54	52.5	51.5	47.5	43	37	27.5	18.5	10	2.5

DC Solar Pumps



Pump Model	Motor kW		lpm	0	3.4	6.7	10	13.4	16.7	20	23.4	26.7
	kW	HP	m³/h	0	0.2	0.4	0.6	0.8	1	1.2	1.4	1.6
G3R-F/250	0.25	0.5	Head in metres	55	52	36	26	4	-	-	-	-
G3R-1B/370	0.37	0.5		90	78	69	60	49	34	16	-	-
G3R-1C/500	0.5	1		110	96	81	80	66	52	43	22	4
Pump Model	Motor kW		lpm	0	6.7	13.4	20	26.7	33.4	40	43.4	-
	kW	HP	m³/h	0	0.4	0.8	1.2	1.6	2	2.4	2.6	-
G4R-2D/500	0.5	1	Head in metres	70	62	55	48	40	28	12	4	-
G4R-2D/A00	1	1.5		140	108	95	85	75	58	24	8	-

Mini Drainage Pumps



Model Name	Motor kW		lpm	0	33.4	66.7	100	133.4	166.7	200
	kW	HP	m³/h	0	2	4	6	8	10	12
MP - T550	0.55	0.75	Head in metres	7.2	6.7	5.9	2.2	-	-	-
MP - T750	0.75	1		8	7.6	7	6.3	5	2.9	-
MP - T900	0.9	1.2		8.6	8.3	7.9	7.3	6.3	4.7	2.9

JTS Series



Pump Model	Motor kW		lpm	0	10	20	30	40	50	60	70	80
	kW	HP	m³/h	0	0.6	1.2	1.8	2.4	3	3.6	4.2	4.8
JTS-3/07M / JTS-3/07M-QF	0.75	1	Head in metres	42	36	34	30	26	22	20	17	-
JTS-3/11M / JTS-3/11M-QF	1.1	15		50	44	40	36	32	29	25	22	10