



Technical Data

Project Name : Untitled project 2025-02-14 07:11:00.199	Project ID :
Company Name : Department : Phone number : e-mail address :	

Requested Data

Flow : 3.217 m ³ /h Head : 68.69 m	Fluid : Water Density : 0.9983 kg/dm ³ Viscosity : 1.005 mm ² /s Temperature : 20 °C Vapour pressure at t A : 0.0234 bar
--	---

Pump

Operating Data

Pump Model : MVS-3/15T No. of Stages : 15 Inlet / Outlet size : 25 Speed : 2900 1/min Direction of Rotation : Counter clockwise Impeller type : Radial impeller Impeller Design : Closed Pump Weight (Approx) : 22.8 kg Pump Standard : CRI Standard	Flow : 3.198 m ³ /h Head : 67.88 m Shutoff Head : 99.5 m Efficiency : 57.16 %
---	---

Motor

Motor Model : MV 3P 1.5HP (IE2) Frequency/Efficiency class : 50 Hz IE2 = High Efficiency Rated Voltage : 380V-415V Δ / 220V-240V Δ Rated current : 2.8A / 4.8A Phase / Rated Power P2 : 3~ 1.1 kW Speed : 2790 1/min Efficiency : 79.6 % Motor Weight (Approx) : 10.4 kg Motor Standard : IEC-60034-30 / IS-12615	Insulation Class : F Frame size : 80 Degree of Protection : IP 55 Method of Starting : Direct starting Service factor : 1 Power factor : 0.7
--	---

Material of Construction

Flange Connections

Pump Outer Shell : AISI 304 Pump Head : C.I Pump Head Cover : AISI 304 Pump Base : AISI 304 Base Plate : C.I Impeller : AISI 304 MECHANICAL SEAL : SiC/SiC/FKM Bush : SiC / SiC Diffuser (Chamber) : AISI 304 Pump Shaft : AISI 431 Wearing Ring : Teflon O Ring : EPDM Coupling : Mild Steel	Suction Flange Pressure rating : PN 25 Nominal pipe size : DN 25 Standard : DIN EN 1092-1:2008-09 Discharge Flange Pressure rating : PN 25 Nominal pipe size : DN 25 Standard : DIN EN 1092-1:2008-09
--	--



C.R.I. PUMPS
Pumping trust. Worldwide.

Performance Curve

Pump Model
MVS-3/15T

Project Name : Untitled project 2025-02-14 07:11:00.199

Project ID :

Company Name :


Department :

Phone number :

e-mail address :

Curve Tolerance ISO : 9906, Grade-3B

Speed 2900 rpm






Project Name : Untitled project 2025-02-14 07:11:00.199

Project ID :

Company Name :
Department :
Phone number :
e-mail address :



In View of continuous developments, The information/specifications/Description/ Illustrations are subject to change without notice.

Dimensions inmm

L2	260		
L4	507		
X	112		
Y	139		
Z	146		