




Company name: Created by: Phone:

Date:

...

23/02/2025

99596862 SQF 1-70 N 50 Hz





Company name: Created by: Phone:

		Date: 23/02/2025		5
Description	Value	Q [m³/h]		SQF 1-70 N [%]
Description General information:	Value	[m³/n]		[%]
Product name:	SQF 1-70 N	_		
Product Name.	99596862			
EAN number:	5713831652816			
Price:	ZAR 25605			
Technical:		4.0 -		
Stages:	6			20
Approvals:	UKCA,CE,EAC,CN RoHS Exempt,Morocco, Sepro	3.5 -		30
Pump No:	99596841			
Model:	C	3.0 -		40
Return valve:	Y	3.0 -		
Zinc Anodes:	No			
Materials:		2.5 -		50 - 100
Pump:	Stainless steel	—		
•	DIN WNr. 1.4401	2.0 -		60 - 80
	AISI 316	∠.∪ -		
Impeller:	Polyamide	_		
	EN 1.4401	1.5 -		70 m - 60
	AISI 316	_		
Motor:	Stainless steel			
		1.0 -	144	40
	DIN WNr. 1.4401			
1	AISI 316	0.5		20
Installation:				
Maximum ambient pressure:	15 bar			
Maximum operating pressure:	15 bar		0.2 0.3 0.4 0.5	0.6 0.7 0.8 P1 [kw]
Type of connection:	Rp			0.0 0.7 0.0 PI[KW]
Size of connection:	1 1/4 inch		uid = Water perature during operation = 20 °	С
Minimum borehole diameter:	76 mm	Density = 9		
Liquid:		ø8(5/16")	RP1 1/4	
Pumped liquid:	Water		<i>_</i>	
Liquid temperature range:	0 35 °C			
Selected liquid temperature:	20 °C		//	
Density:	998.2 kg/m ³	- []	11	
Electrical data:				
Motor type:	MSF3N	- $ $ $ $	1	
Power input - P1:	0.9 kW	— <u>_</u> :	₽ Ų	
Rated power - P2:		86		
	0.6 kW			
Rated voltage AC:	1 x 90-240 V	_ [#]	X	
Rated voltage DC:	30-300 V	_ !		
Rated current:	8.4 A		:	
Power factor:	1.0	↓ ⊢井╢		
Rated speed:	10700 rpm			
Start. method:	direct-on-line	74	←	
Enclosure class (IEC 34-5):	IP68			
Insulation class (IEC 85):	F	— <u>+</u> + –	⊥ N L	
Built-in motor protection:	Y	-		
Thermal protec:	internal	-		
Length of cable:	2 m	—		
Motor No:	99586834	_		
Udc:	300 V	_		
040.	30 V	- \//		
Othere	30 V	\//	\//_	
Others:	5.001	V	— V(~	
Net weight:	5.32 kg			
Gross weight:	6 kg		🖳	
Shipping volume:	0.01 m³			
Sales region:	Europe/South America/Japan	-		
Country of origin:				



Company name: Created by: Phone:

23/02/2025

Description Custom tariff no.: Value 84137025

