

Date: 23/02/2025

Qty.

Description

SQF 3-105 N



Note! Product picture may differ from actual product

Product No.: 99858143

The 3" SQFlex centrifugal pump is for medium heads and flow rates.

The SQFlex system is a reliable water supply system based on renewable energy sources, such as solar and wind energy.


Thanks to its flexible energy supply and performance, the SQFlex system can be combined and adapted to meet any need on the installation site.

The SQFlex system has a wide voltage range, built-in maximum power point tracking (MPPT) as well as dry-running, voltage and overload protection.



Date: 23/02/2025


99858143 SQF 3-105 N 50 Hz







Date: 23/02/2025

Description	Value		
General information:			
Product name:	SQF 3-105 N		
Product No:	99858143		
EAN number:	5713835312693		
Price:	ZAR 55355		
Technical:			
Stages:	8		
Approvals:	UKCA,CE,EAC,CN RoHS		
Approvato.	Exempt, Morocco, Sepro		
Pump No:	99858093		
Model:	C		
Return valve:	Y		
Zinc Anodes:	No		
Materials:			
Pump:	Stainless steel		
•	DIN WNr. 1.4401		
	AISI 316		
Impeller:	Polyamide		
,	EN 1.4401		
	AISI 316		
Motor:	Stainless steel		
Wilder.	DIN WNr. 1.4401		
	AISI 316		
Installation:	AIOI 0 10		
Maximum ambient pressure:	15 bar		
Maximum operating pressure:	15 bar		
Type of connection: Size of connection:	Rp		
	1 1/4 inch		
Minimum borehole diameter:	76 mm		
Liquid:)A/-4		
Pumped liquid:	Water		
Liquid temperature range:	0 35 °C		
Selected liquid temperature:	20 °C		
Density:	998.2 kg/m³		
Electrical data:			
Motor type:	MSF3N		
Power input - P1:	2.5 kW		
Rated power - P2:	1.85 kW		
Rated voltage AC:	1 x 90-240 V		
Rated voltage DC:	100-300 V		
Rated current:	12.5 A		
Power factor:	1.0		
Rated speed:	10700 rpm		
Start. method:	direct-on-line		
Enclosure class (IEC 34-5):	IP68		
Insulation class (IEC 85):	F		
Built-in motor protection:	Υ		
Thermal protec:	internal		
Length of cable:	2 m		
Motor No:	99464913		
Udc:	300 V		
	100 V		
Others:			
Net weight:	6.84 kg		
Gross weight:	8.5 kg		
Shipping volume:	0.011 m ³		
Sales region:	Europe/South America/Japan		










		Date:	23/02/2025	
Description	Value			
Custom tariff no.:	84137025			



23/02/2025 Date:

99858143 SQF 3-105 N 50 Hz





Note! All units are in [mm] unless others are stated. Disclaimer: This simplified dimensional drawing does not show all details.



Date: 23/02/2025

99858143 SQF 3-105 N 50 Hz





Note! All units are in [mm] unless others are stated.