



Technical Data

Project Name : Untitled project 2025-03-18 12:39:57.465	Project ID :
Company Name : Department : Phone number : e-mail address :	

Requested Data

Flow : 109.6 m ³ /h Head : 157.1 m	Fluid : Water Density : 0.9983 kg/dm ³ Viscosity : 1.005 mm ² /s Temperature : 20 °C Vapour pressure at t A : 0.0234 bar
--	---

Pump

Operating Data

Pump Model : MVS-120/07T No. of Stages : 7 Inlet / Outlet size : 125 Speed : 2900 1/min Direction of Rotation : Counter clockwise Impeller type : Mixed Flow impeller Impeller Design : Closed Pump Weight (Approx) : 215 kg Pump Standard : CRI Standard	Flow : 109.6 m ³ /h Head : 157.1 m Shutoff Head : 202.6 m Efficiency : 71.27 %
--	--

Motor

Motor Model : Frequency/Efficiency class : Rated Voltage : Rated current : Phase / Rated Power P2 : Speed : Efficiency : Motor Weight (Approx) : Motor Standard :	Insulation Class : Frame size : Degree of Protection : Method of Starting : Service factor : Power factor :
--	--

Material of Construction

Flange Connections

Pump Outer Shell : AISI 304 Pump Head : AISI 304/CF8 Pump Head Stool : C.I Pump Base : AISI 304/CF8 Base Plate : C.I Impeller : AISI 304 MECHANICAL SEAL : TC/Carbon/FKM Bush : SIC/SIC Diffuser (Chamber) : AISI 304 Pump Shaft : AISI 431 Wearing Ring : Teflon FLANGE : C.I Neck Ring : AISI 304 O Ring : EPDM Coupling : C.I Split Cone : AISI 304	Suction Flange Pressure rating : PN 40 Nominal pipe size : DN 125 Standard : DIN EN 1092-1:2008-09 Discharge Flange Pressure rating : PN 40 Nominal pipe size : DN 125 Standard : DIN EN 1092-1:2008-09
---	--



C.R.I. PUMPS
Pumping trust. Worldwide.

Performance Curve

Pump Model
MVS-120/07T

Project Name : Untitled project 2025-03-18 12:39:57.465

Project ID :

Company Name :


Department :

Phone number :

e-mail address :

Curve Tolerance ISO : 9906, Grade-3B

Speed 2900 rpm





C.R.I. PUMPS
Pumping trust. Worldwide.


Dimensional Drawing

Pump Model
MVS-120/07T

Project Name : Untitled project 2025-03-18 12:39:57.465

Project ID :

Company Name :
Department :
Phone number :
e-mail address :



In View of continuous developments, The information/specifications/Description/ Illustrations are subject to change without notice.

Dimensions inmm

L1	1794		
L2	900		
ØD	550		
X	426		
Y	543		
Z	330		