


Sewage Pumps - SL Series



Impeller type	Impeller mtrl.
Semi Open Double Channel	Cast Iron

Performance Curves & Data



Model	Outlet Size (mm)	Motor Power		Solid Handling Capacity (mm)	Rated Head (m)	Rated Flow (m³/h)	Max. Head (m)	Approx. Weight (kg)
		kW	HP					
SL - 2D - 05CS	40	0.55	0.75	25	8	10	11.5	20.5
SL - 2D - 05DS	50	0.55	0.75	35	8	10	11.5	20.5
SL - 2D - 07CS	40	0.75	1	25	16	6	18	22
SL - 2D - 07DS	50	0.75	1	35	11	10	14	22

The above pump models will be supplied with base plate for proper seating.

In view of continuous developments, the information / descriptions / specifications / illustrations are subject to change without notice.

Sewage Pumps - SL Series




SL - 2N - 11DS

Impeller type	Impeller mtrl.
Semi Open Multi Channel	Cast Iron

SL - 2E - 11DS-H, SL - 2E - 15CS & SL - 2E - 15CS-H

Impeller type	Impeller mtrl.
Closed Double Channel	Cast Iron

Performance Curves & Data



Model		Outlet Size (mm)	Motor Power		Solid Handling Capacity (mm)	Rated Head (m)	Rated Flow (m³/h)	Max. Head (m)	Approx. Weight (kg)	
Single Phase	Three Phase		kW	HP					1Ph	3Ph
SL - 2M - 11DS	SL - 2M - 11DT	50	1.1	1.5	35	10	15	14	24.5	23
SL - 2E - 11DS	SL - 2E - 11DT	50	1.1	1.5	35	16	8	18	24	22.5
SL - 2E - 15CS	SL - 2E - 15CT	40	1.5	2	25	15	15	19	27.5	26
SL - 2E - 15CS-H	SL - 2E - 15CT-H	40	1.5	2	25	20	8	23	27	25.5

The above pump models will be supplied with base plate for proper seating. Only single phase pumps are provided with float switch.

In view of continuous developments, the information / descriptions / specifications / illustrations are subject to change without notice.

Sewage Pumps With Cutter - **SLC Series**




SLC - 2V - 11DS & SLC - 2V - 13DS

Impeller type	Impeller mtrl.
Vortex	Cast Iron

SLC - 2V - 18FS

Impeller type	Impeller mtrl.
Semi Open Double Channel	Cast Iron

Performance Curves & Data



Model		Outlet Size (mm)	Motor Power		Rated Head (m)	Rated Flow (m³/h)	Max. Head (m)	Approx. Weight (kg)
Single Phase	Three Phase		kW	HP				
SLC - 2V - 11DS	SLC - 2V - 11DT	50	1.1	1.5	5	10	6.5	22.5
SLC - 2V - 13DS	SLC - 2V - 13DT	50	1.3	1.75	7	11	11	25
SLC - 2D - 18FS	SLC - 2D - 18FT	80	1.8	2.4	6	15	9.5	35

Only single phase pumps are provided with float switch.

In view of continuous developments, the information / descriptions / specifications / illustrations are subject to change without notice.